

ABBREVIATIONS/TERMS

ACTIV	= Activation	MIN	= Minutes (time)
AL	= Alarm	N	= North (compass)
ALT	= Alternate	NDC	= No Deco DTR
ATR	= Air Time Remaining	NDL	= No Deco Limit
AUD	= Audible	NE	= Northeast (compass)
AVAIL	= Available	NO	= Number
BATT	= Battery	NO-D	= No Decompression
CAL	= Calibrate (compass)	NORM	= Normal Dive Mode
CDT (CD)	= Countdown Timer	NW	= Northwest (compass)
CONSERV	= Conservative Factor	O2	= Oxygen
DD	= Descending Depth (alarm)	OTR	= O2 DTR
DECO	= Decompression	PO2	= Partial Pressure of O2 (ATA)
DESAT	= Desaturation Time	PRESS	= Pressure
DFLT	= Default	PZ+	= Algorithm type
DSAT	= Algorithm type	REF	= Reference (compass)
DTR	= Dive Time Remaining	S	= South (compass)
DURA	= Duration (backlight)	SAFE	= Safety (stop)
E	= East (compass)	SE	= Southeast (compass)
EDT	= Elapsed Dive Time	SEC	= Seconds (time)
EL	= Elevation (altitude)	SN	= Serial Number
FO2	= Fraction of Oxygen (%)	SURF	= Surface
FORM	= Format (date, time)	SW	= Southwest (compass)
FREE	= Free Dive Mode	SWCH	= Switch (gas)
FT	= Feet (depth)	TAT	= Total Ascent Time (deco)
GAUG	= Digital Gauge Dive Mode	TLBG	= Tissue Loading Bar Graph
GLO	= Glow (backlight)	TMR	= Timer
HIST	= History	TMT	= Transmitter
LO	= Low (battery)	VIOL	= Violation
M	= Meters (depth)	W	= West (compass)